

14/08/2023 Version 2.0

Safety Data Sheet Bensan EZ Disinfectant Towlettes

According to Regulation (EU) No 2020/878 & Regulation (EC) No 1272/2008

SECTION 1: IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

 1.1
 Product Identifier

 Product name
 : Bensan EZ Disinfection Towlettes

 1.2
 Relevant identified uses of the substance or mixture and uses advised against

 Relevant identified uses
 .

 Main use category
 : Professional use

 Function or use category
 : Sanitizer

 Uses advised against
 .

 No additional information available
 .

1.3 Supplier Safecare Medical Industries KIZAD KHIA 8-18 P.O. Box 133685, Abu Dhabi United Arab Emirates : Details of the supplier of the safety data sheet

Contact person: Regulatory Affairs - tel. +971 2 506 7333

SECTION 2: HAZARDS IDENTIFICATION

2.1Classification of the substance or mixtureClassification according to Regulation (EC) No. 1272/2008 (CLP)Flam. Liq. 3H226Eye Irrit. 22ASpecific Target Organ Toxicity3Single Exposure category3

Full test of hazard classes and H-statements: see section 16

2.2 Label elements Labelling according to Regulation (EC) No. 1272/2008 (CLP) Hazard Pictograms



GHS02

GHS07

Signal word (CLP) Hazard statements (CLP)	: Warning : H226 – Flammable liquid and vapour : H319 – Causes serious eye irritation
Precautionary statements (CLP)	 Prevention P210 – Keep away from heat, hot surfaces, open flames, sparks. – No smoking P241 Use explosion-proof electrical/ ventilating/ lighting/ equipment. P243 Take precautionary measures against static discharge. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 If eye irritation persists: Get medical advice / attention P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction. Storage: P403+P235 Store in a well-ventilated place. Keep cool Disposal: P501+P501 Dispose of contents/ container to an approved waste disposal plant.

2.3 Other Hazards : None known This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS

- 3.1 Substances
- Not applicable

3.2 Mixtures

Name	Product Identifier	%	Classification according to Regulations (EC) No. 1272/2008 (CLP)
Ethyl Alcohol, Ethanol	(CASE-No.) 64-17-5 (EC-no) 200-578-6, (EC Index-No.) 603-002-00-5 (REACH- no) 01-2119457610-43	<75	Flam. Liq. 3, H226 Eye Irrit. 2A, H319 STOT SE 3, H319
Chlorhexidine Gluconate	(CAS-No.) 18472-51-0 (EC-No.) 242-354-0 (REACH-no) N/A	< 3	Eye Dam. 1, Aquatic Acute 1 (M- Factor = 10), Aquatic Chronic 1 (M- Factor = 1); H318 H400 H410

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

First-aid measures general	: No particular / specific measures required.
First-aid measures after inhalation	
	overheating or combustion. In the event of persistent symptoms receive
	medical treatment.
First-aid measures after eye contact	t: Rinse cautiously with plenty of water for at least 15 minutes. Remove
	contact lenses, if present and easy to do. Continue rinsing. Get immediate
	medical advice / attention.
First-aid measure after ingestion	: If swallowed, rinse mouth with water (only if the person is conscious). Call
-	a POISON CENTER or doctor/physician if you feel unwell.
4.2 Most important symptoms	and effects, both acute and delayed symptoms/effects
	: In all cases of doubt, or when symptoms persist, seek medical attention.
	Symptoms/effects after skin contact: None expected
	Symptoms/effects after eye contact: Causes serious eye irritation.

4.3 Indication of any immediate medical attention and special treatment needed Treat symptomatically. In all cases of doubt, or when symptoms persist, seek medical attention.

SECTION 5: FIRE-FIGHTING MEASURES

5.1	Extinguishing media	: Use extinguishing media appropriate for surrounding fire. Water fog, Foam, carbon dioxide (CO2) and powder.
	Unsuitable extinguishing media	: Do not use a heavy water stream
5.2	Special hazards arising from the su Fire hazard Explosion hazard Hazardous decomposition products in case of fire	: Flammable liquid or vapour : Product is not explosive
5.3	Advice for firefighters Firefighting instructions	 : Use water spray or fog for cooling exposed containers Protection during firefighting : Do not enter fire area without proper personal protective equipment, including respirator protection

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

General measures	: Wear appropriate personal protective equipment - see Section 8. Avoid
	contact with skin and eyes. No open flames. No smoking. Use special care
	to avoid static electric charges. No flames, no sparks. Eliminate all sources
	of ignition.

For non-emergency personnel

No additional information available

For emergency responders

No additional information available

6.2. Environmental precautions

Discharging into rivers and drains is forbidden.

6.3. Methods and material for containment and cleaning up

For containment : Collect all waste in suitable and labelled containers and dispose according to local legislation. Methods for cleaning up : Non-sparking tools should be used. Soak up with inert absorbent material. Suppress (knock down) gases/vapours/mists with a water spray jet. Keep in suitable, closed containers for disposal. Clean contaminated floors and objects thoroughly while observing environmental regulations.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for Safe Handling

Precautions for safe handling : Keep container tightly closed. Avoid contact with eyes. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions	: Keep container tightly closed.
	Take measures to prevent the build-up of electrostatic charge.
	Keep in properly labelled containers.

Do not expose to temperatures exceeding 50 °C/ 122 °F. Keep cool. Store in a well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1. Control parameters

Ethyl Alcohol, ethanol (64-17-5)		
Ireland	Local name	Ethyl Alcohol
Ireland	OEL (8 hours ref)(ppm)	1000 ppm
Ireland	OEL (15 min ref)(ppm)	1000 ppm
Ireland	Notes (IE)	Sk
United Kingdom	Local name	Propan-2-ol
United Kingdom	WEL TWA (mg/m3)	1920 mg/m3
United Kingdom	WEL TWA (ppm)	1000 ppm
United Kingdom	WEL STEL (mg/m3)	1920 mg/m3
United Kingdom	WEL STEL (ppm)	1000 ppm

8.2 Exposure Controls

Respiratory Protection	: No personal respiratory protective equipment normally required.
Eye Protection	: No special protective equipment required.
Skin and Body protection	: No special protective equipment required.
Protective Measures	: No special protective measures required.
Hygiene Measures	: Handle in accordance with good industrial hygiene and safety practice.
	Avoid contact with eyes.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Physical state	: Towlettes
Colour	: Clear. Cloudy. Colorless
	5
Odor	: Alcohol-like odor
Odor threshold	: Not determined
pH	: 5 - 8
Relative evaporation rate	: Not determined
Melting point	: Not determined
Freezing point	: -88°C to – 90°C (Ethanol)
Boiling point	: 88°C to 90°C (Ethanol)
Flash point	: 18°C (Ethanol)
Auto-ignition temperature	: Not determined
Decomposition temperature	: Not determined
Flammability (solid, gas)	: Flammable liquid and vapour.
Vapour pressure	: 4.3 kPa (Ethanol)
Relative vapour density at 20°C	: 2.1
Relative density	: 0.972 g/cm3
Solubility	: In water, material soluble.
Log Pow	: Not determined
Viscosity, kinematic	: Not determined
Viscosity, dynamic	: Not determined
Explosive properties	: Product is not explosive.
Density	: 0.88 g/cm3

Explosive limits	: Product is not explosive.
Thermal decomposition	: The substance or mixture is not classified self-reactive
Oxidizing properties	: The substance or mixture is not classified as oxidizing

9.2 Other Information

Addition Information

: None to our knowledge

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Vapours may form explosive mixture with air.

10.4. Conditions to avoid

No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

Oxidizing agents, ammonia and chlorine.

10.6. Hazardous decomposition products

No hazardous decomposition products are known.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Information on likely routes of exposure

Skin	: Not likely to cause dermal irritation
Eyes	: Serious eye damage/irritation. May cause eye irritation.
Inhalation	: Inhalation may cause drowsiness or dizziness.
Acute toxicity	: Not classified as harmful by ingestion or skin contact. Ingestion of liquid
	may cause intoxication.

Ethyl Alcohol, ethanol (64-17-5)	
LD50 oral rat	>7692 mg/kg
LD50 dermal rat	>15800 ml/kg
LD50 dermal rabbit	N/A
LD50 inhalation rat (Vapours – mg/l/4h)	51.0 mg/l/4h

Skin corrosion/irritation	: Not classified pH 6-8
Serious eye damage/irritation	: Causes serious eye irritation
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: 3
STOT-repeated exposure	: 3
Aspiration hazard	: Not classified

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity

Ecology - general

: The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects on the environment.

Ethyl Alcohol, ethanol (64-17-5)	
LC50 fish 1	10,800 mg/l (96 hours Salmo Gairdneri)
EC50 Daphnia 1	14221 mg/l EC50 48h- Daphnia magna (mg/l)

12.2 Persistence and Degradability

Bensan EZ Disinfectant Towlettes	
Persistence and degradability	Contains a substance (Chlorhexidine Gluconate)
	which is not readily biodegradable

Ethyl Alcohol, ethanol (64-17-5)	
Persistence and degradability	Readily biodegradable.
BOD (% of ThOD)	0.43% ThOD BOD5/COD
Biodegradation	94% (OECD 301E method)

12.3 Bioaccumulative potential

Bensan EZ Disinfectant Towlettes	
Log Pow	Not determined
Bio-accumulative potential	Not potentially bioaccumulable.

Ethyl Alcohol, ethanol (64-17-5)	
Bio-concentration factor (BCF REACH)	27
Log Pow	0.84

12.4 Mobility in Soil

Bensan EZ Disinfectant Towlettes	
Ecology – soil	Soluble in water

12.5 Results of PBT and vPvB assessment

Bensan EZ Disinfectant Towlettes
This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII
This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

12.6 Other adverse effects

Other adverse effects	: None to our knowledge
Additional Information	: No other effects known

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods Regional legislation (waste) Waste treatment methods	 Dispose as hazardous waste. Recover the product with absorbent material. Dispose of contents/container in accordance with licensed collector's sorting instructions.
Product/Packaging disposal	
recommendations	: Dispose in a safe manner in accordance with local/national regulations.
Ecology - waste materials	: Avoid release to the environment.
European List of Waste (LoW) code	: 19 02 08* - liquid combustible wastes containing dangerous substances

SECTION 14: TRANSPORT INFORMATION

In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	IATA	RID
14.1 UN Number			
3175	3175	3175	3175
Special Provisions			
216 and 274	216 and 274	IATA 46	
14.2 UN proper shipping			
ALCOHOLS, N.O.S	ALCOHOLS, N.O.S.	ALCOHOLS, N.O.S.	ALCOHOLS, N.O.S.
Transport document desc	ription	•	•
UN 1987 ALCOHOLS, N.O.S. (Ethyl alcohol, ethanol), 3, III, (D/E)	UN 1987 ALCOHOLS, N.O.S., 3, III		
14.3 Transport hazard cla	ass(es)		
4.1	4.1	4.1	4.1
14.4 Packaging group		÷.	
II	II	II	II
14.5 Packaging Instruction	ns		
	EmS Code: F-A, S-I	Cargo Aircraft: 448	ERG 133
		Passenger Aircraft: 445	
14.6 Environmental haz	zards		
Dangers for	Dangers for	Dangers for	Dangers for
Environment: No	Environment: No	Environment: No	Environment: No
	Marine pollutant: No		
Emergency Response Gu	ide No.: ERG 133 Flammab	le Solid, organic n.o.s	

14.6 Special precautions for user

: Not available

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations / legislation specific for the substance or mixture

Classification and Labelling of Substances and Preparation Dangerous for Supply. Workplace Exposure Limits EH40. Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC and amending Regulation (EC) No 1907/2006 with amendments.

National regulations

EC-regulation 2015/830 /EC, 1907/2006/EC (REACH), 1272/2008/EC (CLP), 790/2009/EC. Transport of dangerous goods (ADR/RID, IMDG, IATA/ICAO).

15.2. Chemical safety assessment

No chemical safety assessment has been carried out for the substance or the mixture by the supplier

SECTION 16: OTHER INFORMATION

Indication of changes: Identification of the substance/mixture and of the company/undertaking. Relevant identified uses.

3.2	Composition / Information on Ingredients	Modified	
Date of issue	14.8.2023		
Revision date	14.08.2023		
Supersedes	NA		

Date of total revision	14.08.2023
Version	2.0
Signature	Regulatory Affairs

The information in this safety data sheet is based on information from the manufacturer/supplier, present European and national legislation, and presupposes that the product is used within the specified area of application.

Revision Date: 2023-08-14

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.