

## Safety Data Sheet Bensan Omni Spray

### SECTION 1: IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

1.1 Product Identifier

Product name : Bensan Omni

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Main use category : Professional use

Function or use category : Cleaner and disinfectant of medical device surfaces

Uses advised against

No additional information available

1.3 : Details of the supplier of the safety data sheet

Supplier

Safecare Medical Industries  
KIZAD KHIA 8-18  
P.O. Box 133685, Abu Dhabi  
United Arab Emirates  
Telephone: +971 2 506 7333

Contact person: Regulatory Affairs – tel. +971 2 506 7333

### SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Mixture not hazardous to Regulation 1272/2008

Full test of hazard classes and H-statements: see section 16

2.2 Label elements

Labelling according to Regulation (EC) No. 1272/2008 (CLP)

Hazard Pictograms



GHS07

Signal word (CLP) : Warning

Hazard statements (CLP) : H319 – Causes serious eye irritation

Precautionary statements (CLP) : P233 – Keep container tightly closed  
 : P280 – Wear eye protection, protective gloves  
 : P337+P313 – If eye irritation persists: Get medical advice / attention  
 : P403+P235 – Store in a well-ventilated place. Keep cool  
 : P501 –Dispose of contents / container to hazardous or special waste collection point, in accordance with local, regional, national and / or international regulation

### 2.3 Other Hazards

Other hazards not contributing to the classification : None under normal conditions.

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

## SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS

### 3.1 Substances

Not applicable

### 3.2 Mixtures

Name	Product Identifier	%	Classification according to Regulations (EC) No. 1272/2008 (CLP)
Benzethonium Chloride	(CAS-No.) 8001-54-5	< 0.5	Acute Tox. 3 (Oral), H301 Skin Corr. 1A, H314 STOT SE 3, H335 Aquatic Chronic 2, H411
Didecyldimethyl Ammonium Chloride	(CAS-No.) 7173-51-5	< 0.5	Acute Tox. 3 (Oral), H301 Skin Corr. 1A, H314 STOT SE 3, H335 Aquatic Chronic 2, H411

## SECTION 4: FIRST AID MEASURES

### 4.1 Description of first aid measures

First-aid measures general : No particular / specific measures required.

First-aid measures after inhalation : Remove victim to fresh air and keep at rest in a position comfortable for breathing

First-aid measures after skin contact:

Gently wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention.

First-aid measures after eye contact:

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical advice/attention.

First-aid measure after ingestion : If swallowed, rinse mouth with water (only if the person is conscious). Call a POISON CENTER or doctor/physician if you feel unwell.

### 4.2 Most important symptoms and effects, both acute and delayed Symptoms/effects

: In all cases of doubt, or when symptoms persist, seek medical attention.

Symptoms/effects after skin contact: Causes skin irritation

Symptoms/effects after eye contact: Causes serious eye irritation.

### 4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically. In all cases of doubt, or when symptoms persist, seek medical attention.

## SECTION 5: FIRE-FIGHTING MEASURES

- 5.1** Extinguishing media : Use extinguishing media appropriate for surrounding fire. Foam, carbon dioxide (CO<sub>2</sub>) and powder.  
Unsuitable extinguishing media : Do not use a heavy water stream

- 5.2** Special hazards arising from the substance or mixture  
Fire hazard : Flammable liquid or vapour  
Explosion hazard : Product is not explosive  
Hazardous decomposition products in case of fire : Carbon monoxide. Carbon dioxide.

- 5.3** Advice for firefighters  
Firefighting instructions : Use water spray or fog for cooling exposed containers  
Protection during firefighting : Do not enter fire area without proper personal protective equipment, including respirator protection

## SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1 Personal precautions, protective equipment and emergency procedures

- General measures : Wear appropriate personal protective equipment - see Section 8. Avoid contact with skin and eyes. No open flames. No smoking. Use special care to avoid static electric charges. No flames, no sparks. Eliminate all sources of ignition.

#### **For non-emergency personnel**

No additional information available

#### **For emergency responders**

No additional information available

### 6.2. Environmental precautions

Discharging into rivers and drains is forbidden.

### 6.3. Methods and material for containment and cleaning up

- For containment : Collect all waste in suitable and labelled containers and dispose according to local legislation.

- Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible.

### 6.4. Reference to other sections

For further information refer to section 13.

## SECTION 7: HANDLING AND STORAGE

### 7.1. Precautions for safe handling

- Precautions for safe handling : Keep container tightly closed. Avoid contact with skin and eyes. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
Hygiene measures : Do not eat, drink or smoke when using this product. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

### 7.2. Conditions for safe storage, including any incompatibilities

- Storage conditions : Keep container tightly closed. Keep only in original container. Do not expose to temperatures exceeding 50 °C/ 122 °F. Keep cool. Store in a well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Incompatible materials : Oxidizing substances.

### 7.3. Specific end use(s)

Consult the supplier for further information.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control parameters

This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

### 8.2 Exposure Controls

Appropriate engineering controls : Ensure good ventilation of the work station.

Personal protective equipment : Gloves. Safety glasses

Hand protection : Butylrubber protective gloves. Nitrile rubber gloves. Breakthrough time: > 60 minutes. Layer thickness: 0.1mm. STANDARD EN 374.

Eye protection : Safety glasses. STANDARD EN 166

Skin and body protection : Wear suitable protective clothing

Respiratory protection : No special respiratory protection equipment is recommended under normal conditions of use with adequate ventilation.

Other Information : Do not eat, drink or smoke during use. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking when leaving work.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: clear. Amber.
Odor	: None
Odor threshold	: Not determined
pH	: 6-8
Relative evaporation rate	: Not determined
Melting point	: Not determined
Freezing point	: Not determined
Boiling point	: 88°C
Flash point	: Not determined
Auto-ignition temperature	: Not determined
Decomposition temperature	: Not determined
Flammability (solid, gas)	: Not determined
Vapour pressure	: Not determined
Relative vapour density at 20°C	: 2.1
Relative density	: 0.972 g/cm <sup>3</sup>
Solubility	: in water, material soluble.
Log Pow	: Not determined
Viscosity, kinematic	: Not determined
Viscosity, dynamic	: Not determined
Explosive properties	: Product is not explosive.
Oxidising properties	: None

## 9.2 Other Information

Addition Information : None to our knowledge

## SECTION 10: STABILITY AND REACTIVITY

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No polymerization.

### 10.4. Conditions to avoid

No flames, no sparks. Eliminate all sources of ignition.

### 10.5. Incompatible materials

Oxidizing agent. Acids. reducing materials.

### 10.6. Hazardous decomposition products

No decomposition if stored and used normally. Thermal decomposition generates : Carbon dioxide. Carbon monoxide. Nitrogen oxides. Amines. Chlorine. Hydrogen chloride.

## SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1 Information on toxicological effects

Acute toxicity : Not classified

<b>Benzethonium chloride (121-54-0)</b>	
LD50 oral rat	>5000 mg/kg
LD50 Dermal	>5000 mg/kg
LC50 Inhalation	>2.6mg/L/4hr

Skin corrosion/irritation	: Not classified pH 6-8
Serious eye damage/irritation	: Causes serious eye irritation pH 6-8
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified

## SECTION 12: ECOLOGICAL INFORMATION

### 12.1 Toxicity

Ecology – general : The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects on the environment.

<b>Benzethonium Chloride (121-54-0)</b>	
LC50 fish l	1.4 mg/l (96 hours – <i>Lepomis macrochirus</i> )
EC50 Daphnia l	70 mg/l

### 12.2 persistence and degradability

<b>Bensan Omni Spray</b>
--------------------------

Persistence and degradability	No data available
-------------------------------	-------------------

### 12.3 Bio-accumulative potential

Bensan Omni Spray	
Log Pow	Not determined
Bio-accumulative potential	Not potentially bio-accumulable.

### 12.4 Mobility in Soil

Bensan Omni Spray	
Ecology – soil	Soluble in water

### 12.5 Results of PBT and vPvB assessment

Bensan Omni Spray	
This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII	
This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII	

### 12.6 Other adverse effects

Other adverse effects : None to our knowledge  
Additional Information : No other effects known

## SECTION 13: DISPOSAL CONSIDERATIONS

### 13.1. Waste treatment methods

Regional legislation (waste) : Dispose as hazardous waste.  
Waste treatment methods : Recover the product with absorbent material. Dispose of contents/container in accordance with licensed collector's sorting instructions.  
Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.  
Ecology - waste materials : Avoid release to the environment.  
European List of Waste (LoW) code : 19 02 08\* - liquid combustible wastes containing dangerous substances

## SECTION 14: TRANSPORT INFORMATION

Not Classified for Transport

## SECTION 15: REGULATORY INFORMATION

### 15.1 Safety, health and environmental regulations / legislation specific for the substance or mixture

#### EU-Regulations

Contains no REACH substances with Annex XVII restrictions  
Contains no substance on the REACH candidate list  
Contains no REACH Annex XIV substances

#### National regulations

EC-regulation 2015/830 /EC, 1907/2006/EC (REACH), 1272/2008/EC (CLP), 790/2009/EC. Transport of dangerous goods (ADR/RID, IMDG, IATA/ICAO). Workplace exposure limits.

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out for the substance or the mixture by the supplier

## SECTION 16: OTHER INFORMATION

Indication of changes: Identification of the substance/mixture and of the company/undertaking. Relevant identified uses.

3.2	Composition / Information on Ingredients	Modified
-----	--	----------

Date of issue	28.10.2022
Revision date	28.10.2022
Supersedes	NA
Date of total revision	28.10.2022
Version	1.0
Signature	Deepthi Rhamba

Full test of H- and EUH-statements

Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4
Acute Tox. 4 (Inhalation: vapour)	Acute toxicity (inhalation: vapour) Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 2	Flammable liquids, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
Skin Corr. 1A	Skin corrosion/irritation, Category 1A
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
H225	Highly flammable liquid and vapour
H226	Flammable liquid and vapour
H301	Toxic if swallowed
H302	Harmful if swallowed
H312	Harmful in contact with skin
H314	Causes severe skin burns and eye damage
H315	Causes skin irritation
H319	Causes serious eye irritation
H332	Harmful if inhaled
H335	May cause respiratory irritation
H336	May cause drowsiness or dizziness
H411	Toxic to aquatic life with long lasting effects

*The information in this safety data sheet is based on information from the manufacturer/supplier, present European and national legislation, and presupposes that the product is used within the specified area of application.*